

**SPECIAL 510(k): Device Modification**  
**ODE Review Memorandum (Decision Making Document is Attached)**

**To:** THE FILE

**RE:** DOCUMENT NUMBER K032057

---

This 510(k) submission contains information/data on modifications made to the SUBMITTER'S own Class II devices requiring 510(k). The following items are present and acceptable:

1. The names and 510(k) numbers of the SUBMITTER'S previously cleared devices.
2. Submitter's statement that the **INDICATION/INTENDED USE** of the modified device as described in its labeling **HAS NOT CHANGED** along with the proposed labeling which includes instructions for use, package labeling, and, if available, advertisements or promotional materials (labeling changes are permitted as long as they do not affect the intended use).
3. A description of the device **MODIFICATIONS**, including user's manual in sufficient detail to demonstrate that the **FUNDAMENTAL SCIENTIFIC TECHNOLOGY** of the modified device **has not changed**.

**The modifications were as follows:**

- Change in the dimension of the test strips
  - Incorporation of the test strips into a cup device
  - Change in the package insert to indicate that the test results are stable up to 1 hour and to include accuracy and precision results from Point of Care (POC) sites
4. **Comparison Information** (similarities and differences) to applicant's legally marketed predicate devices including, labeling, intended use, and physical characteristics.
  5. A **Design Control Activities Summary** which includes:
    - a) Identification of Risk Analysis method used to assess the impact of the modification on the device and its components, and the results of the analysis
    - b) Based on the Risk Analysis, an identification of the verification and/or validation activities required, including methods or tests used and acceptance criteria to be applied
    - c) A declaration of conformity with design controls. The declaration of conformity should include:
      - i) A statement signed by the individual responsible, that, as required by the risk analysis, all verification and validation activities were performed by the designated individual and the results demonstrated that the predetermined acceptance criteria were met, and
      - ii) A statement signed by the individual responsible, that the manufacturing facility is in conformance with design control procedure requirements as specified in 21 CFR 820.30 and the records are available for review.
  6. A **Truthful and Accurate Statement, a 510(k) Statement** and the **Indications for Use Enclosure**.

The labeling for this modified subject device has been reviewed to verify that the indication/intended use for the device is unaffected by the modification. In addition, the submitter's description of the particular modifications and the comparative information between the modified and unmodified devices demonstrate that the fundamental scientific technology has not changed. The submitter has provided the design control information as specified in The New 510(k) Paradigm and on this basis, I recommend the device be determined substantially equivalent to the previously cleared devices.