

SPECIAL 510(k): Device Modification  
ODE Review Memorandum

To: THE FILE

RE: DOCUMENT NUMBER           k060373          

---

This 510(k) submission contains information/data on modifications made to the SUBMITTER'S own Class II, Class III or Reserved Class I devices requiring 510(k). The following items are present and acceptable (delete/add items as necessary) for the COBAS 6000 SERIES SYSTEM:

1. The name and 510(k) number of ROCHE DIAGNOSTICS's previously cleared device, Hitachi Modular P and E170 Modular Analytics analyzers, cleared under k953239 and k961481 respectively. (For a preamendments device, a statement to this effect has been provided.)
2. Submitter's statement that the **INDICATION/INTENDED USE** of the modified device as described in its labeling **HAS NOT CHANGED** along with the proposed labeling which includes instructions for use, package labeling, and, if available, advertisements or promotional materials.
3. A description of the device **MODIFICATION (S)**, including clearly labeled diagrams, engineering drawings, photographs, user's and/or service manuals in sufficient detail to demonstrate that the **FUNDAMENTAL SCIENTIFIC TECHNOLOGY** of the modified device **has not changed. This change was for the integration and connectivity of the Modular P (c 501 module) and the E170 (e 601 module). The c 501 module is a new family member with software and hardware updates to the Hitachi Family. The e 601 module is essentially the same as the E170, with only cosmetic and sample rack interface to accommodate module integration.**
4. **Comparison Information** (similarities and differences) to applicant's legally marketed predicate device including, labeling, intended use, and physical characteristics.
5. A **Design Control Activities Summary** which includes:
  - a) Identification of Risk Analysis method(s) used to assess the impact of the modification on the device and its components, and the results of the analysis
  - b) Based on the Risk Analysis, an identification of the verification and/or validation activities required, including methods or tests used and acceptance criteria to be applied
  - c) A declaration of conformity with design controls. The declaration of conformity should include:
    - i) A statement signed by the individual responsible, that, as required by the risk analysis, all verification and validation activities were performed by the designated individual(s) and the results demonstrated that the predetermined acceptance criteria were met, and
    - ii) A statement signed by the individual responsible, that the manufacturing facility is in conformance with design control procedure requirements as specified in 21 CFR 820.30 and the records are available for review.
6. A **Truthful and Accurate Statement, a 510(k) Summary or Statement and the Indications for Use Enclosure (and Class III Summary for Class III devices).**

The labeling for this modified subject device has been reviewed to verify that the indication/intended use for the device is unaffected by the modification. In addition, the submitter's description of the particular modification(s) and the comparative information between the modified and unmodified devices demonstrate that the fundamental scientific technology has not changed. The submitter has provided the design control information as specified in The New 510(k) Paradigm and on this basis, I recommend the device be determined substantially equivalent to the previously cleared (or their preamendment) device.

Comments – Validation Protocols were adequate to address the identified causes of hazards identified in the Risk analysis (FMEA).